# Checking your blood sugar

# How frequent blood sugar checks can help you

Checking your blood sugar yourself is an important part of managing diabetes. Checking often will tell you:

- If your insulin or other diabetes medicine is working
- How physical activity and the foods you eat affect your blood sugar

You'll usually feel better and have more energy when your blood sugar stays at or near normal. Managing your blood sugar can also reduce your risk of developing problems from diabetes.



# How to check your blood sugar

You can check your own blood sugar using a meter. Many different kinds of blood sugar meters are available today. Your diabetes care team can help you choose one and show you how to use it.

### When to check your blood sugar

You and your diabetes care team will decide when and how often you will check your blood sugar. The table below shows some times when you might want to check and why.

When your team may want you to check	Why you should check
When you wake up	To see if your blood sugar is staying under control while you're asleep (called fasting blood sugar)
Before meals	To know what your blood sugar is before you eat and to know if you will need to adjust your mealtime (prandial) insulin
1 or 2 hours after you start your meal	To see how the food you eat and insulin dose affect your blood sugar
Before, during, and after physical activity (depending on the length of time of your activity)	To see how being active affects your blood sugar
At bedtime	Depending on the medicine that you take

### Keeping a blood sugar tracker

It's important to write down your blood sugar levels so that you can keep track of what makes them go up or down.

See the last page for a tracker that you can use to record your blood sugar and write down other important information for your diabetes care team.



# **Checking your blood sugar**

Time	Goals for many adults with diabetes	Your goals		
Before meals	80 to 130 mg/dL			
1 to 2 hours after the start of a meal	Less than 180 mg/dL			
A1C	Less than 7%			
American Diabetes Association. Standards of medical care in diabetes—2016. <i>Diabetes Care</i> . 2016;39(suppl 1):S1-S112.				

## **Setting your blood sugar goals**

The table above lists blood sugar goals for many adults with diabetes. You and your diabetes care team will set the goals that are right for you. Write your goals in the last column.

# **Knowing your A1C**

The A1C test measures your estimated average blood sugar level over the past 2 to 3 months. It's like a "memory" of your blood sugar levels. It shows how well you're controlling your blood sugar levels over time. Your A1C and your blood sugar levels go up and down together. The table to the right shows how A1C relates to the estimated average blood sugar level.

Lowering your A1C to below 7% reduces your risk of problems from diabetes. Therefore, the A1C goal for most people is less than 7%.



It is recommended that you get an A1C test:

- At least 2 times a year if your blood sugar is under good control
- 4 times a year if you are not meeting your goals or if your treatment has changed

American Diabetes Association. Standards of medical care in diabetes-Diabetes Care. 2016;39(suppl 1):S1-S112.

If you have any guestions, be sure to talk with your diabetes care team. They are there to help!

> For more information, visit Cornerstones4Care.com

Novo Nordisk Inc. grants permission to reproduce this piece for nonprofit educational purposes only on condition that the piece is maintained in its original format and that the copyright notice is displayed. Novo Nordisk Inc. reserves the right to revoke this permission at any time.

Cornerstones4Care® is a registered trademark of Novo Nordisk A/S.



# Your blood sugar tracker


Diabetes changes over time. That is why your treatment may also need to change over time. For example, your doctor may tell you to add a basal insulin to your diabetes pills. Or if you already take a basal insulin, your doctor may tell you to add mealtime insulin.

The blood sugar tracker on the next page can help you keep track of your diabetes medicines and any changes in dosage and timing that your doctor may tell you to make. It can also help you keep track of how much mealtime insulin you took and when you took it.

Your diabetes care team can provide you with a blood sugar tracker and show you how to use it. Or call **1-800-727-6500** to have a tracker sent to you.

# Here's how to use the blood sugar tracker

- 1 Write down the date for the start of the week. (You can start tracking on any day of the week)
- Write the name(s) and dose(s) of your diabetes medicine(s)
- Write the time and your blood sugar readings in the "before" and "after" spaces. After-meal readings are usually taken 1 to 2 hours after you start your meal. Nighttime readings may be taken during the night as needed
- 4 If you are counting carbs, write how many grams of carbs you ate
- If your doctor has told you to use mealtime insulin when you eat, write how many units you took
- 6 Add notes on anything else you might want to track (such as blood pressure or weight)



# Your blood sugar tracker

Date / /			
	Date:	/	/

		BLOOD SUGAR RESULTS*							
		Brea	kfast				ner	Bedtime	Night
	MONDAY	BEFORE	AFTER	BEFORE	AFTER	BEFORE	AFTER	Time	Time
be	units	Time	Time	Time	Time	Time	Time		
ty SSE									
<u>e</u> e		ma/dl	ma/dl	ma/dl	ma/dl	ma/dl	ma/dl	ma/dl	ma/dl
등	Carb intake	mg/dL	IIIg/uL	IIIg/uL	mg/dL	IIIg/uL	mg/dL	mg/dL	mg/dL
Medicine type and dose ▼	Mealtime insulin dose	□ Proakfact	unito	□ Lunch	unito	Dinnor	unito		
_	Other >	Diedkiast	uiils	Lulloll	UIIIIS		UIIIIS		
	Other	Brea	(fast	Lur	nch	Din	ner	Redtime	Night
	TUESDAY								Time
e >	units	Time	Time			Time		11110	Timo
t Se									
9									<b>/ II</b>
Medicine type and dose ▼		mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL
Je G	Carb intake ►								
$\geq$	Mealtime insulin dose	☐ Breakfast	units	Lunch	units	☐ Dinner	units		
	Other►	Dural	-ft		1-	D:		D. It'	Ni alat
	WEDNESDAY	Breal	AFTED	LUI	1CN	DEFORE	ner	Beatime	
<b>ا</b>	units	Time		Time	Time	Time	Time	Time	Time
S S	- Cirito	TITIE	Tillio	Tillio	Tillio	Time	TITLE		
g Se									
च्टं:		mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL
Medicine type and dose ▼	Carb intake ►								
	Mealtime insulin dose	☐ Breakfast	units	Lunch	units	☐ Dinner	units		
	Other ►								
		Brea	kfast	Lur	nch	Din	ner	Bedtime	
d)	THURSDAY units	BEFORE	AFTER	BEFORE	AFTER	BEFORE	AFTER	Time	Time
è pe	uiiits	Time	rime	Time	rime	Time	Time		
e t									
<u>6</u>		mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL
Medicine type and dose ▼	Carb Intake >								
Š	Mealtime insulin dose	☐ Breakfast	units	Lunch	units	☐ Dinner	units		
	Other ►								
		Breal	kfast	Lur	nch	Din	ner `	Bedtime	Night
<b>a</b> 1	FRIDAY	BEFORE	AFTER					Time	Time
1edicine type and dose ▼	units	Time	Time	Time	Time	Time	Time		
e ty									
9		mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL
a gi	Carb intake ▶	Ü	U	Ü	<u> </u>	0		0	Ü
$\stackrel{ to}{\succeq}$	Mealtime insulin dose	☐ Breakfast	units	Lunch	units	☐ Dinner	units		
	Other ►								
Medicine type and dose ▼		Breal		Lur	nch	Din	ner	Bedtime	Night
	SATURDAY	BEFORE	AFTER	BEFORE		BEFORE	AFTER	Time	Time
	units	Time	Time	Time	Time	Time	Time		
		mg/dL	mg/dL	ma/dl	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL
의 의	Carb intake ▶	IIIg/uL	IIIg/uL	mg/ac	IIIg/uL	mg/ac	mg/ac	mg/ac	mg/az
Ş,	Mealtime insulin dose	Rreakfast	units	Lunch	units	☐ Dinner	units		
_	Other	Broaktaot	unto		unito		dritto		
	Other	Breal	kfast	Lur	nch	Din	ner	Bedtime	Night
oe >	SUNDAY		AFTER	BEFORE		BEFORE	AFTER	Time	Time
	units	Time	Time	Time	Time	Time			
₹Ş									
은									<i>(</i>
ja Pa	C-11111	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL	mg/dL
Medicine type and dose ▼	Carb intake	□ Proclefoot	unito	Lunch	unita	Dippor	unita		
_	Mealtime insulin dose	DIEAKIASI	uills	Lulloll	UIIIIS	☐ Dinner	UIIIIS		



# Support and diabetes management tools built around you.

Enroll today to get FREE, personalized diabetes support with Cornerstones4Care®.



#### **Diabetes Health Coach**

All fields with asterisks (\*) are **REQUIRED** 

An online program that builds a customized action plan around your needs to help you learn healthy habits



#### **Meal Planning Tools**

Create tasty, diabetes-friendly meals



#### Interactive Trackers

Record A1C, weight, and blood sugar numbers

### Enrolling is easy. Just complete this form.

, iii rielas viitir asterisits	( ) 4	•
* ☐ I have diabetes	or 🔲 I care fo	r someone who has diabetes
* First name	* Last nam	ne MI
* Address 1		
Address 2		
* City	* State	•
* ZIP	* Email	
* Birth date mm/dd/yy	'yy//	/
* What type of diabe (Check one)	tes do you or the	e person you care for have?
☐ Type 2	☐ Type 1	☐ Don't know
* What type of diabe that apply)	tes medicine has	been prescribed? (Check all
■ None	☐ GLP-1 med ☐ Other Ilso called oral antic	icine diabetic drugs, or OADs)
	"Insulin," "GLP-1 ne following for e	I medicine," or "Other," each:
Product 1:		

# 3 easy ways to enroll:

1. Fax the completed form to 1-866-549-2016

How long has this product been taken?

How long has this product been taken?

☐ Prescribed but not taken

☐ Prescribed but not taken

□ 0-3 months

■ 4-6 months

■ 0-3 months

■ 4-6 months

- 2. Email the completed form to C4Csignup@hartehanks.com
- 3. Call 1-888-825-1518 and follow the voice prompts

### Review and complete below.

* Phone number:	
()	
* Cell phone number:	
()	

Novo Nordisk Inc. ("Novo Nordisk") understands protecting your personal and health information is very important. We do not share any personally identifiable information you give us with third parties for their own marketing use.

I understand from time to time, Novo Nordisk's Privacy Policy may change, and for the most recent version of the Privacy Policy, please visit www.C4CPrivacy.com.

By signing and dating below, I consent that the information I am providing may be used by Novo Nordisk, its affiliates or vendors to keep me informed about products, patient support services, special offers, or other opportunities that may be of interest to me via mail and email. Novo Nordisk may also combine the information I provide with information about me from third parties to better match these offers with my interests. These materials may contain information that market or advertise Novo Nordisk products, goods, or services.

Yes, I'd like to be contacted by Novo Nordisk via phone calls and text messages at the phone numbers I have provided.

By checking this box, and signing and dating below, I authorize Novo Nordisk to use auto-dialers, prerecorded messages, and artificial voice messages to contact me. I understand that these calls and text messages may market or advertise Novo Nordisk products, goods, or services. I understand that I am not required to consent to being contacted by phone or text message as a condition of any purchase of goods or services.

I may opt out at any time by clicking the unsubscribe link within any email I receive, by calling 1.877.744.2579, or by sending a letter with my request to Novo Nordisk Inc., 800 Scudders Mill Road, Plainsboro, New Jersey

By providing my information to Novo Nordisk and signing and dating below, I certify I am at least eighteen (18) years of age and agree to the terms above.

* Signature (required	)
* Date (required)	
	mm/dd/yyyy



**□** 7-12 months

☐ 7-12 months

■ 3 or more years

■ 1-3 years

☐ 3 or more years

**□** 1-3 years